


MANATEE COUNTY GOVERNMENT

AGENDA MEMORANDUM

DATE: August 17, 1984

TO: Board of County Commissioners

FROM: County Administrator

BY: Originating Department Purchasing  JLM

SUBJECT: AGENDA ITEM - REGULAR _____ CONSENT x REQUESTED AGENDA DATE 8/28/84

RE: Bid No. 84-79-210-00
Reinforced Concrete Pipe & Fittings

County Attorney
NR
APPROVED AS TO FORM

ACTION REQUIRED:

Authorization to award Bid No. 84-79-210-00 - Reinforced Concrete Pipe & Fittings to the lowest responsive and responsible multiple vendors:

Durable Pre-Con Pipe
Joelson Concrete
St. Regis Corporation (Southern Culvert)
Superior Sealers Co.
Crews Concrete Pipe Co.

Award as an alternate the 1 1/4" Mastic Rope, 75' box to Crews Concrete Pipe Co.

ACTION(S) REQUIRED: Execution Approval x Authorization
Acceptance Recording Adoption

COST:
SOURCE:

ATTACHMENTS: Background Ltr. Recommendation Tabulation of Bids

BOARD RECORDS: _____

AGENDA DISPOSITION

ACTION TAKEN BY THE BOARD:


APPROVED DEFERRED UNTIL _____ RECEIVED
 DISAPPROVED CONCURRED WITH STAFF RECOMMENDATION REFERRED TO STAFF

OTHER: _____

SPECIAL INSTRUCTIONS: _____

BC19840828DOC028

BOARD MEETING DATE: _____ AGENDA CODE: _____



MANATEE COUNTY GOVERNMENT

MEMORANDUM

DATE: August 17, 1984

TO: Board of County Commissioners

THRU: Robert F. Fernandez
County Administrator

THRU: David F. Rothfuss, Director
Office of Central Services

FROM: Sim J. Smith, Jr., CPPO
Purchasing Director *Sim J. Smith, Jr.*

RE: Bid No. 84-79-210-00
Reinforced Concrete Pipe & Fittings

BACKGROUND

This is an annual bid mainly utilized by the Public Transportation Department.

PUBLIC OPENING

Five (5) responsive bids were received and opened at Purchasing July 17, 1984 at 3:00 P.M.

RECOMMENDATION


Purchasing concurs with the departmental recommendation to award this bid to the lowest responsive and responsible multiple vendors meeting specifications as listed below and to award, over-all, the mitered end items to Durable Pre-Con Pipe and Crews Concrete Pipe Co.

Award also, as an alternate, the 1¼" Mastic Rope, 75' box to Crews Concrete Pipe Company.

MULTIPLE VENDORS

Durable Pre-Con Pipe
Joelson Concrete
St. Regis Corporation (Southern Culvert)
Superior Sealers Co.
Crews Concrete Pipe Co.


SJS:MP:mp



MANATEE COUNTY GOVERNMENT

Public Transportation
Highway Division

July 24, 1984




MEMORANDUM

TO: Janice L. Maginness, Purchasing Contract Manager
FROM: Philip A. Davis, Director of Transportation
SUBJECT: Bid # 84-79-210-00

We have reviewed bids for reinforced concrete pipe and fittings and have marked the tabulation as per low items for award to various vendors.

However, in regards to the items for miter ends, we would like the option to purchase from either Durable or Crews Concrete because of location and usual purchase of only two to four items.

Also, we would like to award the 1" mastic rope to Superior, the low bid vendor, however, we would like to have the option to try the 90' 1" bead from Crews and if acceptable, would probably use both items.


DP/gm

Reinforced Concrete Pipe & Fittings	Source	Price per L/F	Price per L/F	Price per L/F
T & G TYPE price per L/F SIZE/CLASS				
12 - III 4'	Durzel 6015 3rd St. East Bendonia, FL 5/10/82	6.30		
12' 8'				
12' 12'				7.20
12 - IV 4'				
12' 8'				
12' 12'				
15 - III 4'		6.41		
15' 8'				
15' 12'			5.36	6.90
15 - IV 4'				
15' 8'				
15' 12'				
18 - III 4'		8.61		
18' 8'				
18' 12'			6.88	9.00
18 - IV 4'				
18' 8'				
18' 12'				
21 - III 4'				
21' 8'				
21' 12'				
21 - IV 4'				
21' 8'				
21' 12'				
24 - III 4'		13.76		
24' 8'				
24' 12'			11.00	13.70
24 - IV 4'				
24' 8'				
24' 12'				
27 - III 4'				
27' 8'				
27' 12'				
27 - IV 4'				
27' 8'				
27' 12'				
30 - III 4'		20.03		
30' 8'				
30' 12'			15.83	19.40
30 - IV 4'				
30' 8'				
30' 12'				
36 - III 4'		27.03		
36' 8'				
36' 12'			20.00	27.00
36 - IV 4'				
36' 8'				
36' 12'				
42 - III 4'		37.03		
42' 8'				
42' 12'			27.63	37.42
42 - IV 4'				
42' 8'				
42' 12'				
48 - III 4'		45.03		
48' 8'				
48' 12'			34.09	
48 - IV 4'				
48' 8'				
48' 12'				
54 - III 4'				
54' 8'				
54' 12'			46.96	
54 - IV 4'				
54' 8'				
54' 12'				
60 - III 4'				
60' 8'				
60' 12'			50.26	

St. Regis Corporation
 Southern Alabama
 P.O. Box 460
 Pinebluff, SC 29122-0460


Superior Sealcoats Co.
 P.O. Box 9987
 St. Louis, MO 63130

Crews Concrete
 Pipe Company
 P.O. Box 7471
 N. Ft. Myers, FL 33903

2 BID NO. 84-79-210-00
Reinforced Concrete Pipe & Fittings

T & G TYPE price per L/F SIZE/CLASS				
60 - IV	4'			
	8'			
	12'			
66 - III	4'			
	8'		59.22	
	12'			
66 - IV	4'			
	8'			
	12'			
72 - III	4'			
	8'		69.77	
	12'			
72 - IV	4'			
	8'			
	12'			
84 - III	4'			
	8'			
	12'			
84 - IV	4'			
	8'			
	12'			
96 - III	4'			
	8'			
	12'			
96 - IV	4'			
	8'			
	12'			
"O" RING TYPE				
12 - III	4'			
	8'	6.30		7.90
12 - IV	4'			
	8'			
15 - III	4'			
	8'		6.47	6.90
15 - IV	4'			
	8'		7.50	
18 - III	4'			
	8'	2.50	8.47	9.00
18 - IV	4'			
	8'		9.90	
21 - III	4'			
	8'			
21 - IV	4'			
	8'			
24 - III	4'			
	8'	12.70	12.91	13.70
24 - IV	4'			
	8'			
27 - III	4'		15.15	
	8'			
27 - IV	4'			
	8'			
30 - III	4'			
	8'	16.24	18.21	19.40
30 - IV	4'			
	8'		21.35	
36 - III	4'			
	8'	25.30	25.41	27.00
36 - IV	4'			
	8'		29.93	
42 - III	4'			
	8'	34.65	35.13	37.45
42 - IV	4'			
	8'		41.03	
48 - III	4'			
	8'		43.60	
48 - IV	4'			
	8'		51.24	
54 - III	4'			
	8'	54.35	54.69	
54 - IV	4'			
	8'		64.27	

D. BARK
 1-1-50
 54-10-50
 54-10-50
 54-10-50
 54-10-50



3

BID NO. 84-79-210-00
Reinforced Concrete Pipe & Fittings

"O" RING TYPE	SECT. OR CENTER LINE	St. Regio	SECT. OR CENTER LINE	CLINE
60 - III 4'		65.62		
60 - IV 4'				
66 - III 4'		77.22		
66 - IV 4'		78.12		
72 - III 4'		92.12		
72 - IV 4'		96.71		
84 - III 4'		107.02		
84 - IV 4'				
96 - III 4'				
96 - IV 4'				
ELLIPTICAL TYPE				
12 - III 4'				
12 - IV 4'				
15 - III 4'	6.50	6.47		6.55
15 - IV 4'		7.42	7.91	6.55
18 - III 4'	9.04	9.04	11.25	7.90
18 - IV 4'		11.24	14.05	11.22
21 - III 4'				
21 - IV 4'				
24 - III 4'		14.22	14.22	16.62
24 - IV 4'			15.57	20.15
27 - III 4'				
27 - IV 4'				
30 - III 4'		20.35	20.35	25.41
30 - IV 4'			23.37	30.15

2
 12
 24

4 PID NO. 84-79-210-00
Reinforced Concrete Pipe & Fittings

ELLIPTICAL TYPE	St. Rings	St. Rings	St. Rings
36 - III 4'			
6"			
8"			
12"	36.37	37.15	37.15
36 - IV 4'			
6"			
8"			
12"	56.27	37.20	37.20
42 - III 4'			
6"			
8"			
12"	36.37	42.03	36.35
42 - IV 4'			
6"			
8"			
12"	41.32	46.49	41.30
48 - III 4'			
6"			
8"			
12"	46.75	51.20	46.78
48 - IV 4'			
6"			
8"			
12"	53.03	56.24	53.00
54 - III 4'			
6"			
8"			
12"	57.68	64.64	
54 - IV 4'			
6"			
8"			
12"	68.12	70.56	
60 - III 4'			
6"			
8"			
12"	70.52	78.36	
60 - IV 4'			
6"			
8"			
12"	70.52	72.99	
66 - III 4'			
6"			
8"			
12"			
66 - IV 4'			
6"			
8"			
12"			
72 - III 4'			
6"			
8"			
12"		102.19	
72 - IV 4'			
6"			
8"			
12"		120.02	
84 - III 4'			
6"			
8"			
12"			
84 - IV 4'			
6"			
8"			
12"			
96 - III 4'			
6"			
8"			
12"			
96 - IV 4'			
6"			
8"			
12"			

PREBED TYPE
12 - III 8'
12'

5 PID NO. 84-79-210-00
Reinforced Concrete Pipe & Fittings

PREBED TYPE	8'	12'	8'	12'	8'	12'	8'	12'
12 - IV	8'	12'						
15 - III	8'	12'						
15 - IV	8'	12'						
18 - III	8'	12'						
18 - IV	8'	12'						
21 - III	8'	12'						
21 - IV	8'	12'						
24 - III	8'	12'						
24 - IV	8'	12'						
27 - III	8'	12'						
27 - IV	8'	12'						
30 - III	8'	12'						
30 - IV	8'	12'						
36 - III	8'	12'						
36 - IV	8'	12'						
42 - III	8'	12'						
42 - IV	8'	12'						
48 - III	8'	12'						
48 - IV	8'	12'						
54 - III	8'	12'						
54 - IV	8'	12'						
60 - III	8'	12'						
60 - IV	8'	12'						
66 - III	8'	12'						
66 - IV	8'	12'						
72 - III	8'	12'						
72 - IV	8'	12'						
84 - III	8'	12'						
84 - IV	8'	12'						
96 - III	8'	12'						
96 - IV	8'	12'						

CONCRETE UNDER DRAIN - PER 6'

12 - III
12 - IV
15 - III
15 - IV
18 - III
18 - IV
21 - III
21 - IV
24 - III
24 - IV
27 - III
27 - IV

or per Service Concrete ST. P. 10312

Handwritten notes and markings in the table grid, including 'DIP' and 'CONCRETE' written vertically and diagonally.

6 Bid No. 84-79-210-00
Reinforced Concrete Pipe & Fittings

CONCRETE UNDER DRAIN - PER 6'				
30 - III				
30 - IV				
36 - III				
36 - IV				
42 - III				
42 - IV				
48 - III				
48 - IV				
54 - III				
54 - IV				
60 - III				
60 - IV				
66 - III				
66 - IV				
72 - III				
72 - IV				
84 - III				
84 - IV				
96 - III				
96 - IV				

PRICE PER EACH				
"0" RING GASKET				
12 - III				
12 - IV				MC
15 - III	MC	2.89		MC
15 - IV	MC	2.89		
18 - III	MC	3.32		MC
18 - IV	MC	3.32		
21 - III				
21 - IV				
24 - III	MC	4.13		MC
24 - IV	MC	4.13		
27 - III				
27 - IV				
30 - III	MC	5.13		MC
30 - IV	MC	5.13		
36 - III	MC	6.13		MC
36 - IV	MC	6.13		
42 - III	MC	7.03		MC
42 - IV	MC	7.03		
48 - III	MC	7.64		
48 - IV	MC	7.64		
54 - III	MC	8.09		
54 - IV	MC	8.09		
60 - III	MC	16.94		
60 - IV	MC	16.94		
66 - III				
66 - IV				
72 - III		20.24		
72 - IV		20.24		
84 - III				
84 - IV				
96 - III				
96 - IV				

PRICE PER EACH				
ROUND RUBBER GASKET				
12 - III				
12 - IV				
15 - III	1.23			
15 - IV				
18 - III	2.28			
18 - IV				
21 - III				
21 - IV				
24 - III	3.50			
24 - IV				
27 - III				
27 - IV				
30 - III	3.00			
30 - IV				
36 - III	3.50			
36 - IV				

7 Bid No. 84-79-210-00
Reinforced Concrete Pipe & Fittings

ROUND RUBBER GASKET

- 42 - III
- 42 - IV
- 48 - III
- 48 - IV
- 54 - III
- 54 - IV
- 60 - III
- 60 - IV
- 66 - III
- 66 - IV
- 72 - III
- 72 - IV
- 84 - III
- 84 - IV
- 96 - III
- 96 - IV

12.50

PRICE PER EACH

PREFORMED PLASTIC GASKETS

- 12 - III
- 12 - IV
- 15 - III
- 15 - IV
- 18 - III
- 18 - IV
- 21 - III
- 21 - IV
- 24 - III
- 24 - IV
- 27 - III
- 27 - IV
- 30 - III
- 30 - IV
- 36 - III
- 36 - IV
- 42 - III
- 42 - IV
- 48 - III
- 48 - IV
- 54 - III
- 54 - IV
- 60 - III
- 60 - IV
- 66 - III
- 66 - IV
- 72 - III
- 72 - IV
- 84 - III
- 84 - IV
- 96 - III
- 96 - IV

Handwritten notes and markings in the grid, including vertical lines and the word "D" repeated in several columns.

BID NO. 84-79-210-00
Reinforced Concrete Pipe & Fittings

Price per LF
MITERED MALE &
FEMALE END

T & G Type
SIZE/CLASS

15 - III	4'	2.41					
	8'			17.39			
15 - IV	4'						
	8'			103.77			
18 - III	4'	10.61					
	8'			110.27		11.00	
18 - IV	4'						
	8'			124.24			
24 - III	4'						
	8'			151.26		13.40	
24 - IV	4'						
	8'			173.53			

ELLIPTICAL TYPE

SIZE/CLASS

15 - III	4'	8.50	2.47	42.04		2.55	
	8'		2.97	126.63		2.55	
15 - IV	4'		9.13				
	8'		9.93	143.24		9.90	
18 - III	4'	11.04					
	8'	11.04	11.04	142.34		11.23	
18 - IV	4'						
	8'		13.24	170.97		13.23	
24 - III	4'	14.76					
	8'	14.82	16.22	190.00		14.71	
24 - IV	4'						
	8'		17.57	231.47		17.47	

MASTIC ROPE
(SEALANT)

1" bead/75' box	30.23			29.13	90' - 30'
1 1/4" bead/75' box	43.17			41.13	75' - 35'
RAM-NEK 1" 35pc box		20.00	40.59		47

DARO 14 days 5 days - 14 days 10 days

EXCEPTIONS: NONE - NONE NONE MASTIC
1" rope 1"
bead 1
90' / box
1 1/4" bead
75' / box